


کاتالوگ جامع محصولات تیاندی

TIANDY PRODUCT CATALOG 2026



قابلیت اطمینان
Reliable



تکنولوژی پیشرفته
Advanced Technology



دید برای جهان
Vision For World



راهکارهای هوشمند
Smart Solutions



راهنمای رنگ بندی سری ها

AK SERIES



رنگ سری:
سبز یشمی

SPARK SERIES



رنگ سری:
خردلی

SUPERLITE SERIES



رنگ سری:
زرشکی آجری

LITE SERIES



رنگ سری:
بنفش

PRO SERIES



رنگ سری:
قرمز

WIFI SERIES



رنگ سری:
سبز روشن

BULLET COLLECTOR

AK series



TC-C321N

Spec : I3/E/Y/2.8mm

Max. Resolution: 2MP
Image Sensor: 1/3" CMOS
Min. Illumination: Color: 0.04 Lux
Wide Dynamic Range: DWDR
IR Distance: 30 m
Built-in Mic: Yes
Alarm I/O: N/A
On-board Storage: N/A
Housing: Plastic
Video Analytics: Motion detection



94,000,000 R

AK series



TC-C321N

1CNB-28

Max. Resolution : 2MP
Image Sensor : 1/3" CMOS
Min. Illumination :Color:0.02Lux
Wide Dynamic Range : DWDR
IR Distance : Up to 30m
Built-in Mic : YES
Alarm I/O : N/A
On-board Storage : N/A
Housing : Plastic
Video Analytics : Motion detection



94,000,000 R

AK series



TC-C321N

Spec : AK/I3W/E/Y/2.8mm

Max. Resolution : 2MP
Image Sensor : 1/3"CMOS
Min. Illumination :Color:0.02Lux
Wide Dynamic Range : DWDR
IR Distance : Up to 30m
Dual light + 15m White LED
Built-in Mic : YES
Alarm I/O : N/A
On-board Storage : N/A
Housing : Plastic
Video Analytics : Motion detection



109,000,000 R

AK series



TC-C321N

1ANB-28

Max. Resolution : 2MP
Image Sensor : 1/3"CMOS
Min. Illumination :Color:0.02Lux
Wide Dynamic Range : DWDR
IR Distance : Up to 30m
Dual light + 15m White LED
Built-in Mic : YES
Alarm I/O : N/A
On-board Storage : N/A
Housing : Plastic
Video Analytics : Motion detection



109,000,000 R

Spark series



TC-C32QN

Spec : I3/E/Y/2.8mm

Max. Resolution : 2MP
Image Sensor : 1/2.9"CMOS
Min. Illumination :Color:0.02Lux
Wide Dynamic Range : DWDR
IR Distance : Up to 30m
Built-in Mic : YES
Alarm I/O : N/A
On-board Storage : N/A
Housing : Plastic + Metal
Video Analytics : Motion detection
Protection : IP67



DISCONTINUE

Spark series



TC-C34QN

Spec : I3/E/Y/2.8mm

Max. Resolution: 4MP
Image Sensor: 1/3" CMOS
Min. Illumination: Color: 0.02 Lux
Wide Dynamic Range: DWDR
IR Distance: Up to 30 m
Built-in Mic: Yes
Alarm I/O: N/A
On-board Storage: N/A
Housing: Metal + Plastic
Video Analytics: Motion detection
Protection : IP67



159,000,000 R



RADIS
موج گستران رادیس

فلسفہ ہوشنر
رادیس

BULLETION

Superlight series

TC-C32QN

Spec : I5W/E/Y/2.8mm

Max. Resolution: 2MP
Image Sensor: 1/2.8" CMOS
Min. Illumination: Color: 0.02 Lux
Wide Dynamic Range: DWDR
IR Distance: 30m
Dual light + 15m White LED
Built-in Mic: Yes
Alarm I/O: N/A
On-board Storage: N/A
Housing: Plastic + Metal
Video Analytics: Tripwire; Perimeter
Protection : IP67



140,000,000 R

Superlight series

TC-C34QN

Spec : I5W/E/Y/2.8mm

Max. Resolution: 4MP
Image Sensor: 1/2.8" CMOS
Min. Illumination: Color: 0.02 Lux
Wide Dynamic Range: DWDR
IR Distance: 30m
Dual light + 15m White LED
Built-in Mic: Yes
Alarm I/O: N/A
On-board Storage: N/A
Housing: Plastic + Metal
Video Analytics: Tripwire; Perimeter
Protection : IP67



228,000,000 R

Superlite series

TC-C32GS

Spec : I5/E/Y/C/SD/2.8mm

Max. Resolution : 2MP
Image Sensor : 1/2.8"CMOS
Min. Illumination : Color:0.002Lux
Wide Dynamic Range : **120dB WDR**
IR Distance : Up to 50m
Built-in Mic : Yes
Alarm I/O : N/A
On-board Storage : **microSD up to 512 GB**
Housing : Metal+plastic housing
Video Analytics : Tripwire; Perimeter
Protection : IP67



135,000,000 R

Superlite series

TC-C34GN

Spec : I5/E/Y/C/2.8mm

Max. Resolution : 4MP
Image Sensor : 1/2.7"CMOS
Min. Illumination : 0.02Lux
Wide Dynamic Range : DWDR
IR Distance : Up to 50m
Built-in Mic : Yes
Alarm I/O : N/A
On-board Storage : N/A
Housing : Metal+plastic housing
Video Analytics : Tripwire; Perimeter
Protection : IP67



145,000,000 R

Superlite series

TC-C34GS

Spec : I5/E/Y/C/SD/2.8mm

Max. Resolution : 4MP
Image Sensor : 1/2.7"CMOS
Min. Illumination : Color: **0.002Lux**
Wide Dynamic Range : DWDR
IR Distance : Up to 50m
Built-in Mic : Yes
Alarm I/O : N/A
On-board Storage : **microSD up to 512 GB**
Housing : Metal+plastic housing
Video Analytics : Tripwire; Perimeter
Protection : IP67



186,000,000 R

Superlite series

TC-C34GS

Spec : I5/E/Y/C/SD/4mm/V4.0

Max. Resolution : 4MP
Image Sensor : 1/2.7"CMOS
Min. Illumination : Color: **0.002Lux**
Wide Dynamic Range : DWDR
IR Distance : Up to 50m
Built-in Mic : Yes
Alarm I/O : N/A
On-board Storage : **microSD up to 512 GB**
Housing : Metal+plastic housing
Video Analytics : Tripwire; Perimeter
Protection : IP67



186,000,000 R



RADIS
موج گستران رادیس

فلسفہ ہوشنر
رادیس

BULLET COLLECTION

Lite series



TC-C35WS
3ERA-28

Max. Resolution : 5MP
Image Sensor : 1/2.7" CMOS
Min. Illumination : Color: 0.002Lux
Wide Dynamic Range : 120db WDR
IR Distance : Up to 50m
Dual light + 15m white LED
Built-in Mic : YES
Alarm I/O : N/A
On-board Storage : microSD up to 512GB
Housing : Metal+plastic housing
Video Analytics : Human/Vehicle
Classification; Tripwire; Perimeter
Protection : IP67



350,000,000 R

Pro series



TC-C35US

Spec : I8/A/E/Y/M/S/H/2.7-13.5mm

Max. Resolution : Up to 5MP
Image Sensor : 1/2.7" CMOS
Min. Illumination : Color: 0.002Lux
Wide Dynamic Range : 120db WDR
IR Distance : Up to 80m
Built-in Mic : YES
Alarm I/O : YES
On-board Storage : microSD up to 512 GB
Housing : Full Metal
Protection : IP67 - IK10
Video Analytics : Human/Vehicle
Classification; Tripwire; Perimeter; Video
Abnormal; Audio Abnormal - Face Capture
60fps(1920×1080) Resolution



CALL



RADIS
موج گستران رادیس

رادیس
فلسفه هوشمند

DOMIE COLLECTION

AK series



TC-C320N

Spec : I3/E/Y/2.8mm

Max. Resolution: 2MP
Image Sensor: 1/3" CMOS
Min. Illumination: Color: 0.04 Lux
Wide Dynamic Range: DWDR
IR Distance: 30 m
Built-in Mic: Yes
Alarm I/O: N/A
On-board Storage: N/A
Housing: Plastic
Video Analytics: Motion detection



94,000,000 R

AK series



TC-C320N

1CNB-28

Max. Resolution : 2MP
Image Sensor : 1/3" CMOS
Min. Illumination : Color:0.02Lux
Wide Dynamic Range : DWDR
IR Distance : Up to 30m
Built-in Mic : YES
Alarm I/O : N/A
On-board Storage : N/A
Housing : Plastic
Video Analytics : Motion detection



95,000,000 R

AK series



TC-C320N

Spec : AK/I3W/E/Y/2.8mm

Max. Resolution : 2MP
Image Sensor : 1/3"CMOS
Min. Illumination :Color:0.02Lux
Wide Dynamic Range : DWDR
IR Distance : Up to 30m
Dual light + 15m White LED
Built-in Mic : YES
Alarm I/O : N/A
On-board Storage : N/A
Housing : Plastic
Video Analytics : Motion detection



109,000,000 R

AK series



TC-C320N

1ANB-28

Max. Resolution : 2MP
Image Sensor : 1/3"CMOS
Min. Illumination :Color:0.02Lux
Wide Dynamic Range : DWDR
IR Distance : Up to 30m
Dual light + 15m White LED
Built-in Mic : YES
Alarm I/O : N/A
On-board Storage : N/A
Housing : Plastic
Video Analytics : Motion detection



109,000,000 R

Spark series



TC-C32XN

Spec : I3/E/Y/2.8mm

Max. Resolution : 2MP
Image Sensor : 1/2.9"CMOS
Min. Illumination :Color:0.02Lux
Wide Dynamic Range : DWDR
IR Distance : Up to 30m
Built-in Mic : YES
Alarm I/O : N/A
On-board Storage : N/A
Housing : Plastic + Metal
Video Analytics : Motion detection



DISCONTINUE

Superlight series



TC-C32XN

Spec : I3W/E/Y/2.8mm

Max. Resolution: 2MP
Image Sensor: 1/2.8" CMOS
Min. Illumination: Color: 0.02 Lux
Wide Dynamic Range: DWDR
IR Distance: 30m
Dual light + 15m White LED
Built-in Mic: Yes
Alarm I/O: N/A
On-board Storage: N/A
Housing: Plastic + Metal
Video Analytics: Tripwire; Perimeter



140,000,000 R



RADIS
موج گستران رادیس

فلسفہ ہوشنر
رادیس

Spark series



TC-C34XN

Spec : I3/E/Y/2.8mm

Max. Resolution: 4MP
Image Sensor: 1/3" CMOS
Min. Illumination: Color: 0.02 Lux
Wide Dynamic Range: DWDR
IR Distance: Up to 30 m
Built-in Mic: Yes
Alarm I/O: N/A
On-board Storage: N/A
Housing: Metal + Plastic
Video Analytics: Motion detection



159,000,000 R

Superlight series



TC-C34XN

Spec : I3W/E/Y/2.8mm

Max. Resolution: 4MP
Image Sensor: 1/2.8" CMOS
Min. Illumination: Color: 0.02 Lux
Wide Dynamic Range: DWDR
IR Distance: 30m
Dual light + 15m White LED
Built-in Mic: Yes
Alarm I/O: N/A
On-board Storage: N/A
Housing: Plastic + Metal
Video Analytics: Tripwire; Perimeter



207,000,000 R

Lite series



TC-C34HS

Spec : I3/E/Y/C/SD/2.8mm

Max. Resolution : 4MP
Image Sensor : 1/2.7"CMOS
Min. Illumination : Color:0.002Lux
Wide Dynamic Range : DWDR
IR Distance : Up to 30m
Built-in Mic : Yes
Alarm I/O : N/A
On-board Storage : **microSD up to 512 GB**
Housing : Metal+plastic housing
Video Analytics : Tripwire; Perimeter
Protection : IP66



185,000,000 R

Lite series



TC-C34XP

SPEC : W/E/Y/2.8mm

Max. Resolution : 4MP
Image Sensor : 1/2.8"CMOS
Min. Illumination : **Color: 0.0008Lux**
Wide Dynamic Range : **120db WDR**
IR Distance : N/A
Warm Light LED : Yes
Built-in Mic : Yes
Alarm I/O : N/A
Housing : Metal+plastic housing
Video Analytics : Tripwire; Perimeter
Protection : IP67



265,000,000 R

Lite series



TC-C34KS

I3/E/Y/2.8MM

Max. Resolution : 5MP
Image Sensor : 1/2.8" CMOS
Min. Illumination : **Color:0.002Lux**
Wide Dynamic Range : **120db WDR**
IR Distance : Up to 30m
Built-in Mic : YES
Alarm I/O : N/A
On-board Storage : **microSD up to 512GB**
Housing : Metal+plastic housing
Protection : IP67 - **IK10**
Video Analytics : Tripwire; Perimeter



270,000,000 R

Lite series



TC-C35KS

Spec : I3/E/Y/2.8mm

Max. Resolution : **4MP**
Image Sensor : 1/2.8" CMOS
Min. Illumination : **Color: 0.002Lux**
Wide Dynamic Range : **120dB WDR**
IR LEDs : 8
IR Distance : Up to 30m
Built-in Mic : YES
Alarm I/O : N/A
On-board Storage : **MicroSD up to 512 GB**
Housing : Metal+Plastic Housing
Video Analytics : Tripwire, Perimeter



330,000,000 R

COLLECTION DOME



RADIS
موج گستران رادیس

فلسفہ ہوشنر
رادیس

Lite series



TC-C38KS

Spec : I3/E/Y/2.8mm/V4.0

Max. Resolution : **8MP**
Image Sensor : 1/2.8" CMOS
Min. Illumination : **Color: 0.003Lux**
Wide Dynamic Range : **120dB WDR**
IR LEDs : 8
IR Distance : Up to 30m
Built-in Mic : YES
Alarm I/O : N/A
On-board Storage : **Built-in MicroSD card slot, up to 512 GB**
Housing : Metal+Plastic Housing
Video Analytics : Tripwire, Perimeter



350,000,000 R

Pro series



TC-C38MS

SPEC : I5/A/E/Y/M/H/2.7-13.5MM/V4.0

Max. Resolution: 8MP
Image Sensor: 1/2.8" CMOS
Min. Illumination: Color: 0.002 Lux
Wide Dynamic Range: WDR
IR Distance: 50m
Built-in Mic: Yes
Alarm I/O: 2channel in,3mA,3.3VDC;1channel out,1A,24VDC
On-board Storage: Built-in Micro SD card slot, up to 512 GB
Housing: Metal
Video Analytics: Human/Vehicle ,Tripwire , Double Tripwire Perimeter



CALL

DOMIE COLLECTION



RADIS
موج گستران رادیس

فلسفہ ہوشنر
رادیس

SPEEDDOME

COLLECTION

TC-H324S

Spec : 23X/I/E/C

Max. Resolution : 2MP
Optical Zoom : 23X
Digital Zoom : N/A
Aperture Type : **Auto(P-Iris)**
Image Sensor : 1/2.8" CMOS
Min. Illumination : **Color:0.001Lux**
Wide Dynamic Range : **120db WDR**
IR Distance : Up to 150m
Built-in Mic : YES
Alarm I/O : **YES**
On-board Storage : **microSD up to 512GB**
Housing : Metal+plastic housing
Protection : IP66
Video Analytics : Human/Vehicle Classification; Tripwire; Double Tripwire;
Perimeter; Object Abandon; Object Missing; Heatmap; Video Abnormal

1,140,000,000 R



TC-H324S

Spec : 25X/I/E/A/V

Max. Resolution : 2MP
Optical Zoom : 25X
Digital Zoom : 16X
Aperture Type : **Auto(P-Iris)**
Image Sensor : 1/2.8" CMOS
Min. Illumination : **Color:0.001Lux**
Wide Dynamic Range : **120db WDR**
IR Distance : Up to 150m
Alarm I/O : **YES**
On-board Storage : **microSD up to 512GB**
Housing : Metal
Protection : IP66
Video Analytics : Human/Vehicle Classification;
Tripwire; Double Tripwire; Perimeter; Object
Abandon; Object Missing; Heatmap; Loitering;
Running; Parking; People Counting; On Duty
Detection; Video Abnormal; Audio Abnormal;
Crowded Detection - **Auto-Tracking** - **Face Capture**



1,260,000,000 R

TC-H344S

Spec : 25X/I/E+ /A

Max. Resolution : 4MP
Optical Zoom : 25X
Digital Zoom : 16X
Aperture Type : **Auto(P-Iris)**
Image Sensor : 1/2.7" CMOS
Min. Illumination : **Color:0.001Lux**
Wide Dynamic Range : **120db WDR**
IR Distance : Up to 150m
Alarm I/O : **YES**
On-board Storage : **microSD up to 512GB**
Housing : Metal
Protection : IP66
Video Analytics : Human/Vehicle Classification;
Tripwire; Double Tripwire; Perimeter; Object
Abandon; Object Missing; Heatmap; Loitering;
Running; Parking; People Counting; On Duty
Detection; Video Abnormal; Audio Abnormal;
Crowded Detection - **Auto-Tracking** - **Face Capture**



1,890,000,000 R

SPEED DOME

TC-H366V

Spec : 4MP/25X/IW/E/A/2.8mm

Max. Resolution : 4MP PTZ + **6MP Panorama**

Optical Zoom : 25X

Digital Zoom : 16X

Aperture Type : **PTZ Auto(P-Iris) + Fixed F1.0 Panorama**

Image Sensor : 1/2.7" CMOS PTZ + **1/1.8" CMOS Panorama**

Min. Illumination : **PTZ 0.001Lux + 0.0001Lux Panorama**

Wide Dynamic Range : **PTZ 120db WDR + DWDR Panorama**

IR Distance : Up to 150m

Dual light + 30m White LED PTZ + 30m Panorama

Alarm I/O : **YES**

On-board Storage : **microSD up to 512GB**

Housing : Metal

Protection : IP66

Video Analytics : Human/Vehicle Classification; Tripwire; Double Tripwire; Perimeter; Object Abandon; Object Missing; Heatmap; Loitering; Running; Parking; People Counting; On Duty Detection; Video Abnormal; Audio Abnormal; Crowded Detection

Auto-Tracking - Face Capture - Auto Early Warning(AEW)

2,300,000,000 R



TC-H348M

Spec : 63X/IL/E++/A

Max. Resolution : 4MP

Optical Zoom : **63X**

Digital Zoom : 16X

Aperture Type : **Auto(P-Iris)**

Image Sensor : **1/1.8" CMOS**

Min. Illumination : **Color:0.001Lux**

Wide Dynamic Range : **120db WDR**

IR Distance : Up to **300m**

Alarm I/O : **YES**

On-board Storage : **microSD up to 512GB**

Housing : Metal

Protection : IP66

Video Analytics : Human/Vehicle Classification; Tripwire; Double Tripwire; Perimeter; Object Abandon; Object Missing; Heatmap; Loitering; Running; Parking; People Counting; On Duty Detection; Video Abnormal; Audio Abnormal; Crowded Detection

Auto-Tracking - Face Capture - Auto Early Warning(AEW)



CALL

NVR COLLECTION

NVR COLLECTION

TC-R3104



Spec: I/B/P4/C/Eu/L/S

Access Channel : 4 Ch
Incoming Bandwidth : 60 mbps
Outgoing Bandwidth : 40 mbps
Resolution : up to 6MP
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 4 ch
SATA : 1 SATA interface
HDD Capacity : Up to **8 TB** capacity for each HDD
RAID : N/A
HDMI output : 1080p
Ethernet port : 1 x RJ-45, 10/100 Mbps
POE Port : 4 port 10/100 Mbps
PoE Budget : 32W
AI by Camera : Smart Alarm
Human/Vehicle Classification



250,000,000 R

TC-R3105



Spec: I/B/L/S

Access Channel : 5 Ch
Incoming Bandwidth : 60 mbps
Outgoing Bandwidth : 40 mbps
Resolution : up to 5MP
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 4 ch
SATA : 1 SATA interface
HDD Capacity : Up to **6 TB** capacity for each HDD
RAID : N/A
HDMI output : 1080p
Ethernet port : 1 x RJ-45, 10/100 Mbps
POE Port : N/A
PoE Budget : N/A
AI by Camera : Smart Alarm



185,000,000 R

TC-R3105



Spec: I/B/L/Eu

Access Channel : 5 Ch
Incoming Bandwidth : 60 mbps
Outgoing Bandwidth : 40 mbps
Resolution : up to 8MP
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 4 ch
SATA : 1 SATA interface
HDD Capacity : Up to **8 TB** capacity for each HDD
RAID : N/A
HDMI output : 1080p
Ethernet port : 1 x RJ-45, 10/100 Mbps
AI by Camera : Tripwire; Double Tripwire;
Perimeter; Object Abandon; Object Missing;
Running; Parking; Loitering; Video Abnormal; Audio
Abnormal; On Duty Detection; Crowd Detection;
Smart Alarm; Human/Vehicle Classification



260,000,000 R

TC-R3108



Spec: I/B/P8/C/Eu/L/S

Access Channel : 8 Ch
Incoming Bandwidth : 60 mbps
Outgoing Bandwidth : 40 mbps
Resolution : up to 6MP
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 4 ch
SATA : 1 SATA interface
HDD Capacity : Up to **8 TB** capacity for each HDD
RAID : N/A
HDMI output : 1080p
Ethernet port : 1 x RJ-45, 10/100 Mbps
POE Port : 8 port 10/100 Mbps
PoE Budget : 48W
AI by Camera : Smart Alarm
Human/Vehicle Classification



320,000,000 R

TC-R3110



Spec: I/B/L/Eu

Access Channel : 10 Ch
Incoming Bandwidth : 60 mbps
Outgoing Bandwidth : 40 mbps
Resolution : up to 8MP
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 4 ch
SATA : 1 SATA interface
HDD Capacity : Up to **8 TB** capacity for each HDD
RAID : N/A
HDMI output : **4K**
Ethernet port : 1 x RJ-45, 10/100 Mbps
AI by Camera : Tripwire; Double Tripwire;
Perimeter; Object Abandon; Object Missing;
Running; Parking; Loitering; Video Abnormal; Audio
Abnormal; On Duty Detection; Crowd Detection;
Smart Alarm; Human/Vehicle Classification



290,000,000 R



RADIS
موج گستران رادیس

فلسفہ ہوشمند
رادیس

NVR COLLECTION

NVR COLLECTION

TC-R3120 + Spec: I/B/V3.0

Access Channel : 20 Ch
Incoming Bandwidth : 80 mbps
Outgoing Bandwidth : 80 mbps
Resolution : up to 8MP
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 16 ch
SATA : 1 SATA interface
HDD Capacity : Up to **10 TB** capacity for each HDD
HDMI output : **4K**
Ethernet port : 1 x RJ-45, 10/100 Mbps
AI by Camera : Tripwire; Double Tripwire; Perimeter; Object Abandon; Object Missing; Running; Parking; Loitering; Video Abnormal; Audio Abnormal; On Duty Detection; Crowd Detection; Smart Alarm; Human/Vehicle Classification
VCA Search : Early-warning Search; Behavior Search; **Face Search**



380,000,000 R

TC-R3220 4HA +



Access Channel : 20 Ch
Incoming Bandwidth : 160 mbps
Outgoing Bandwidth : 80 mbps
Resolution : up to **16MP**
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 16 ch
SATA : 2 SATA interface
HDD Capacity : Up to **10 TB** capacity for each HDD
HDMI output : **4K**
Ethernet port : 1 x RJ-45, **Gigabit**
AI by Camera : Tripwire; Double Tripwire; Perimeter; Object Abandon; Object Missing; Running; Parking; Heatmap; Loitering; Video Abnormal; Audio Abnormal; On Duty Detection; Crowd Detection; Safety Helmet Detection; Electric Bicycle Detection; People Counting; Link to Tracking; Smoke and Fire Detection; Environmental Temperature Measurement; Face Detection; Human Body Temperature Measurement; Smart Alarm; Face Recognition; Human/Vehicle Classification
VCA Search : Heatmap; People Counting; Face Statistics
AI by NVR ; Face Detection; Face Recognition; Tripwire; Double Tripwire; Perimeter; Smart Motion Detection



840,000,000 R

TC-R3232 + Spec: I/B/K

Access Channel : 32 Ch
Incoming Bandwidth : 160 mbps
Outgoing Bandwidth : 48 mbps
Resolution : up to 8MP
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 16 ch
SATA : 2 SATA interface
HDD Capacity : Up to **10 TB** capacity for each HDD
HDMI output : **4K**
Ethernet port : 1 x RJ-45, **Gigabit**
AI by Camera : Tripwire; Double Tripwire; Perimeter; Object Abandon; Object Missing; Running; Parking; Heatmap; Loitering; Video Abnormal; Audio Abnormal; On Duty Detection; Crowd Detection; Electric Bicycle Detection; People Counting; Link to Tracking; Smoke and Fire Detection; Environmental Temperature Measurement; Face Detection; Human Body Temperature Measurement; Smart Alarm; Human/Vehicle Classification
VCA Search : Early-warning Search; Behavior Search; Thermographic Retrieval; Duty Search; Electric Bicycle Retrieval; Face Search Search by face attributes)



890,000,000 R

TC-R3232 4HA +



Access Channel : 32 Ch
Incoming Bandwidth : 160 mbps
Outgoing Bandwidth : 80 mbps
Resolution : up to **16MP**
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 16 ch
SATA : 2 SATA interface
HDD Capacity : Up to **10 TB** capacity for each HDD
HDMI output : **4K**
Ethernet port : 1 x RJ-45, **Gigabit**
AI by Camera : Tripwire; Double Tripwire; Perimeter; Object Abandon; Object Missing; Running; Parking; Heatmap; Loitering; Video Abnormal; Audio Abnormal; On Duty Detection; Crowd Detection; Safety Helmet Detection; Electric Bicycle Detection; People Counting; Link to Tracking; Smoke and Fire Detection; Environmental Temperature Measurement; Face Detection; Human Body Temperature Measurement; Smart Alarm; Face Recognition; Human/Vehicle Classification
VCA Search : Early-warning Search; Behavior Search; Safety Helmet Search; Thermographic Retrieval; Duty Search; Electric Bicycle Retrieval; Face Search(Search by face attributes); Smart Motion Detection
AI by NVR ; Face Detection; Face Recognition; Tripwire; Double Tripwire; Perimeter; Smart Motion Detection



970,000,000 R

NVR COLLECTION

NVR COLLECTION

TC-R3432 Spec: I/B/K



Access Channel : 32 Ch
Incoming Bandwidth : 160 mbps
Outgoing Bandwidth : 48 mbps
Resolution : up to 8MP
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 16 ch
SATA : 4 SATA interface
HDD Capacity : Up to **10 TB** capacity for each HDD
HDMI output : **4K**
Ethernet port : **2 x RJ-45, Gigabit**
AI by Camera : Tripwire; Double Tripwire; Perimeter; Object Abandon; Object Missing; Running; Parking; Heatmap; Loitering; Video Abnormal; Audio Abnormal; On Duty Detection; Crowd Detection; Safety Helmet Detection; Electric Bicycle Detection; People Counting; Link to Tracking; Smoke and Fire Detection; Environmental Temperature Measurement; Face Detection; Human Body Temperature Measurement; Smart Alarm; Face Recognition; Human/Vehicle Classification; LPR
VCA Search : Heatmap; Early-warning search; Behavior Search; Thermographic retrieval; Duty search; Facial search



1,120,000,000 R

TC-R3240 Spec: I/B/N/H



Access Channel : 40 Ch
Incoming Bandwidth : **400** mbps
Outgoing Bandwidth : **400** mbps
Resolution : up to **16MP**
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 16 ch
SATA : 2 SATA interface
HDD Capacity : Up to **10 TB** capacity for each HDD
HDMI output : **4K**
Ethernet port : **2 x RJ-45, Gigabit**
AI by Camera : Tripwire; Double Tripwire; Perimeter; Object Abandon; Object Missing; Running; Parking; Heatmap; Loitering; Video Abnormal; Audio Abnormal; On Duty Detection; Crowd Detection; Safety Helmet Detection; Electric Bicycle Detection; People Counting; Link to Tracking; Smoke and Fire Detection; Environmental Temperature Measurement; Face Detection; Human Body Temperature Measurement; Smart Alarm; Face Recognition; Human/Vehicle Classification; LPR
Face Recognition : Yes Up to 300 face libraries + Up to 100000 base images
VCA Search : Early-warning Search; Behavior Search; Safety Helmet Search; Thermographic Retrieval; Duty Search; Electric Bicycle Retrieval; Face Search(Search by face attributes/event); Human Search(Search by human attributes)



1,400,000,000 R

TC-R3440 Spec: I/B/N/H/C



Access Channel : 40 Ch
Incoming Bandwidth : **400** mbps
Outgoing Bandwidth : **400** mbps
Resolution : up to **16MP**
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 16 ch
SATA : 4 SATA interface
HDD Capacity : Up to **10 TB** capacity for each HDD
Raid : RAID0, RAID1, RAID5, RAID6, RAID10
HDMI output : **4K**
Ethernet port : **2 x RJ-45, Gigabit**
AI by Camera : Tripwire; Double Tripwire; Perimeter; Object Abandon; Object Missing; Running; Parking; Heatmap; Loitering; Video Abnormal; Audio Abnormal; On Duty Detection; Crowd Detection; Safety Helmet Detection; Electric Bicycle Detection; People Counting; Link to Tracking; Smoke and Fire Detection; Environmental Temperature Measurement; Face Detection; Human Body Temperature Measurement; Smart Alarm; Face Recognition; Human/Vehicle Classification; LPR
Face Recognition : Yes Up to 300 face libraries + Up to 100000 base images
VCA Search : Early-warning Search; Behavior Search; Safety Helmet Search; Thermographic Retrieval; Duty Search; Electric Bicycle Retrieval; Face Search(Search by face attributes/event); Human Search (Search by human attributes)



1,450,000,000 R

TC-R3440 Spec: I/B/N



Access Channel : 40 Ch
Incoming Bandwidth : **400** mbps
Outgoing Bandwidth : **400** mbps
Resolution : up to **16MP**
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 16 ch
SATA : 4 SATA interface
HDD Capacity : Up to **10 TB** capacity for each HDD
Raid : RAID0, RAID1, RAID5, RAID6, RAID10
HDMI output : **4K**
Ethernet port : **2 x RJ-45, Gigabit**
Alarm I/O : 16-ch, TTL inputs, 3mA, 3.3VDC; 4-ch, relay outputs, 1A, 24VDC
AI by Camera : Tripwire; Double Tripwire; Perimeter; Object Abandon; Object Missing; Running; Parking; Heatmap; Loitering; Video Abnormal; Audio Abnormal; On Duty Detection; Crowd Detection; Safety Helmet Detection; Electric Bicycle Detection; People Counting; Link to Tracking; Smoke and Fire Detection; Environmental Temperature Measurement; Face Detection; Human Body Temperature Measurement; Smart Alarm; Face Recognition; Human/Vehicle Classification; LPR
Face Recognition : Yes Up to 300 face libraries + Up to 100000 base images
VCA Search : Early-warning Search; Behavior Search; Safety Helmet Search; Thermographic Retrieval; Duty Search; Electric Bicycle Retrieval; Face Search(Search by face attributes/event); Human Search (Search by human attributes)



1,788,000,000 R



RADIS
موج گستران رادیس

رادیس
فلسفه هوشمند

TC-R3840
Spec : I/B/N



Access Channel : 40 Ch
Incoming Bandwidth : **640** mbps
Outgoing Bandwidth : **320** mbps
Resolution : up to **16MP**
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 16 ch
SATA : **8** SATA interface
HDD Capacity : Up to **24 TB** capacity for each HDD
Raid : RAID0, RAID1, RAID5, RAID6, RAID10
HDMI output : **2 x 4K**
Ethernet port : **2** x RJ-45, **Gigabit**
RS-485 : 2
Alarm I/O : 16-ch, TTL inputs, 3mA, 3.3VDC; 4-ch, relay outputs, 1A, 24VDC
AI by Camera : Tripwire; Double Tripwire; Perimeter; Object Abandon; Object Missing; Running; Parking; Heatmap; Loitering; Video Abnormal; Audio Abnormal; On Duty Detection; Crowd Detection; Safety Helmet Detection; Electric Bicycle Detection; People Counting; Link to Tracking; Smoke and Fire Detection; Environmental Temperature Measurement; Face Detection; Human Body Temperature Measurement; Smart Alarm; Face Recognition; Human/Vehicle Classification; LPR
Face Recognition : Yes Up to 300 face libraries + Up to 100000 base images
VCA Search : Early-warning Search; Behavior Search; Safety Helmet Search; Thermographic Retrieval; Duty Search; Electric Bicycle Retrieval; Face Search(Search by face attributes/event); Human Search (Search by human attributes)
Face Attributes Search : Gender; Age; Glasses; Face Mask; Body Temp
Human Attributes Search : Gender; Age; Backpack; Face Mask; Glasses; Hair; Carrying Status; Top Color; Bottom Color; Top Type; Bottom Type; Riding Status
Vehicle Attributes Search : Vehicle Color; Vehicle Type; Plate Color; Plate number; Non-Motor Vehicle Passenger Status; Direction



CALL

TC-R3880
Spec : I/B/N



Access Channel : 80 Ch
Incoming Bandwidth : **640** mbps
Outgoing Bandwidth : **320** mbps
Resolution : up to **16MP**
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 16 ch
SATA : **8** SATA interface
HDD Capacity : Up to **24 TB** capacity for each HDD
Raid : RAID0, RAID1, RAID5, RAID6, RAID10
HDMI output : **2 x 4K**
Ethernet port : **2** x RJ-45, **Gigabit**
RS-485 : 2
Alarm I/O : 16-ch, TTL inputs, 3mA, 3.3VDC; 4-ch, relay outputs, 1A, 24VDC
AI by Camera : Tripwire; Double Tripwire; Perimeter; Object Abandon; Object Missing; Running; Parking; Heatmap; Loitering; Video Abnormal; Audio Abnormal; On Duty Detection; Crowd Detection; Safety Helmet Detection; Electric Bicycle Detection; People Counting; Link to Tracking; Smoke and Fire Detection; Environmental Temperature Measurement; Face Detection; Human Body Temperature Measurement; Smart Alarm; Face Recognition; Human/Vehicle Classification; LPR
Face Recognition : Yes Up to 300 face libraries + Up to 100000 base images
VCA Search : Early-warning Search; Behavior Search; Safety Helmet Search; Thermographic Retrieval; Duty Search; Electric Bicycle Retrieval; Face Search(Search by face attributes/event); Human Search (Search by human attributes)
Face Attributes Search : Gender; Age; Glasses; Face Mask; Body Temp
Human Attributes Search : Gender; Age; Backpack; Face Mask; Glasses; Hair; Carrying Status; Top Color; Bottom Color; Top Type; Bottom Type; Riding Status
Vehicle Attributes Search : Vehicle Color; Vehicle Type; Plate Color; Plate number; Non-Motor Vehicle Passenger Status; Direction



CALL



RADIS
موج گستران رادیس

رادیس
فلسفه هوشمند