RADIS
موج گستران رادیس

Tiandy

Vision For World

کاتالوگ جامع محصولات تیاندی

TIANDY PRODUCT CATALOG 2026

راهکارهای هوشمند	دیدی برای جهان	تکنولوژی پیشرفته	قابلیت اطمینان
Smart Solutions	Vision For World	Advanced Technology	Reliable



راهنمای رنگ‌بندی سری‌ها

WIFI SERIES	PRO SERIES	LITE SERIES	SUPERLITE SERIES	SPARK SERIES	AK SERIES
					
رنگ سری: سبز روشن	رنگ سری: قرمز	رنگ سری: بنفش	رنگ سری: زرشکی آجری	رنگ سری: خردلی	رنگ سری: سبز یشمی

AK series

TC-C321N
Spec:I3/E/Y/2.8mm

Max. Resolution: 2MP
Image Sensor: 1/3" CMOS
Min. Illumination: Color: 0.04 Lux
Wide Dynamic Range: DWDR
IR Distance: 30 m
Built-in Mic: Yes
Alarm I/O: N/A
On-board Storage: N/A
Housing: Plastic
Video Analytics: Motion detection



97,000,000 R

AK series

TC-C321N
1ANB-28

Max. Resolution : 2MP
Image Sensor : 1/3"CMOS
Min. Illumination :Color:0.02Lux
Wide Dynamic Range : DWDR
IR Distance : Up to 30m
Dual light + 15m White LED
Built-in Mic : YES
Alarm I/O : N/A
On-board Storage : N/A
Housing : Plastic
Video Analytics : Motion detection



110,000,000 R

Superlite series

TC-C32GS
Spec:I5/E/Y/C/SD/2.8mm

Max. Resolution : 2MP
Image Sensor : 1/2.8"CMOS
Min. Illumination : Color:0.002Lux
Wide Dynamic Range : **120dB WDR**
IR Distance : Up to 50m
Built-in Mic : Yes
Alarm I/O : N/A
On-board Storage : **microSD up to 512 GB**
Housing : Metal+plastic housing
Video Analytics : Tripwire; Perimeter
Protection : IP67



135,000,000 R

Spark series

TC-C34QN
2GNA-28

Max. Resolution: 4MP
Image Sensor: 1/3" CMOS
Min. Illumination: Color: 0.02 Lux
Wide Dynamic Range: DWDR
IR Distance: 30m
Built-in Mic: Yes
Alarm I/O: N/A
On-board Storage: N/A
Housing: Plastic + Metal
Video Analytics : Motion detection
Protection : IP67



165,000,000 R

Superlite series

TC-C34GS
Spec:I5/E/Y/C/SD/4mm/V4.0

Max. Resolution : 4MP
Image Sensor : 1/2.7"CMOS
Min. Illumination : Color: **0.002Lux**
Wide Dynamic Range : DWDR
IR Distance : Up to 50m
Built-in Mic : Yes
Alarm I/O : N/A
On-board Storage : **microSD up to 512 GB**
Housing : Metal+plastic housing
Video Analytics : Tripwire; Perimeter
Protection : IP67



186,000,000 R

Spark series

TC-C34QN
2ENA-28

Max. Resolution: 4MP
Image Sensor: 1/3" CMOS
Min. Illumination: Color: 0.02 Lux
Wide Dynamic Range: DWDR
IR Distance: 30m
Dual light + 15m White LED
Built-in Mic: Yes
Alarm I/O: N/A
On-board Storage: N/A
Housing: Plastic + Metal
Video Analytics: Motion detection
Protection : IP67



225,000,000 R

BULLET COLLECTION

RADIS
موج گستران رادیس
رادیس
فلسفه هوشمندی

Lite series

TC-C35WS
3ERA-28

Max. Resolution : 5MP
Image Sensor : 1/2.7" CMOS
Min. Illumination : **Color: 0.002Lux**
Wide Dynamic Range : **120db WDR**
IR Distance : Up to 50m
Dual light + 15m white LED
Built-in Mic : YES
Alarm I/O : N/A
On-board Storage : **microSD up to 512GB**
Housing : Metal+plastic housing
Video Analytics : Human/Vehicle Classification; Tripwire; Perimeter
Protection : IP67



360,000,000 R

Lite series

TC-C35WS
3ERA-4

Max. Resolution : 5MP
Image Sensor : 1/2.7" CMOS
Min. Illumination : **Color: 0.002Lux**
Wide Dynamic Range : **120db WDR**
IR Distance : Up to 50m
Dual light + 15m white LED
Built-in Mic : YES
Alarm I/O : N/A
On-board Storage : **microSD up to 512GB**
Housing : Metal+plastic housing
Video Analytics : Human/Vehicle Classification; Tripwire; Perimeter
Protection : IP67



360,000,000 R

Lk series

TC-C35US
4LHB-27135

Max. Resolution :Up to 5MP
Image Sensor : 1/2.7"CMOS
Min. Illumination : **Color:0.002Lux**
Wide Dynamic Range : **120db WDR**
IR Distance : **Up to 80m**
Dual light + 30m white LED
Built-in Mic : YES
Alarm I/O : YES
On-board Storage : **microSD up to 512 GB**
Housing : **Full Metal**
Protection : IP67 - **IK10**
Video Analytics : **Pet/non-motor vehicle & Human/Vehicle** Classification; Tripwire; Perimeter; Video and Audio Abnormal - **Face Capture : Detect 8 face & Capture 4 faces at the same scene**
60fps(1920×1080) Resolution



600,000,000 R

Pro series

TC-C35US
Spec:I8/A/E/Y/M/S/H/2.7-13.5mm

Max. Resolution :Up to 5MP
Image Sensor : 1/2.7"CMOS
Min. Illumination : **Color:0.002Lux**
Wide Dynamic Range : **120db WDR**
IR Distance : Up to 80m
Built-in Mic : YES
Alarm I/O : YES
On-board Storage : **microSD up to 512 GB**
Housing : **Full Metal**
Protection : IP67 - **IK10**
Video Analytics : **Human/Vehicle** Classification; Tripwire; Perimeter; Video Abnormal; Audio Abnormal - **Face Capture**
60fps(1920×1080) Resolution



CALL

Pro series

TC-C35WQ
Spec:I5W/E/Y/2.8mm/V4.2

Max. Resolution : 5MP
Image Sensor : 1/2.7"CMOS
Min. Illumination : Color: **0.002Lux**
Wide Dynamic Range : **120db WDR**
IR Distance : Up to 50m
Dual light + 15m white LED
Built-in Mic : Yes
Built-in **Loudspeaker** : Yes
Alarm I/O : N/A
On-board Storage : **microSD up to 512 GB**
Housing : **Full Metal housing**
Video Analytics : **Human/Vehicle Classification**
Tripwire; Perimeter; Video and Audio Abnormal - **Early Warning**
Face Capture : Detect 8 face & Capture 4 faces at the same scene
Protection : IP67



CALL

Pro series

TC-C38WQ
Spec:I5W/E/Y/2.8mm/V4.2

Max. Resolution : 8MP
Image Sensor : 1/2.7"CMOS
Min. Illumination : Color: **0.002Lux**
Wide Dynamic Range : **120db WDR**
IR Distance : Up to 50m
Dual light + 15m white LED
Built-in Mic : Yes
Built-in **Loudspeaker** : Yes
Alarm I/O : N/A
On-board Storage : **microSD up to 512 GB**
Housing : **Full Metal housing**
Video Analytics : **Human/Vehicle Classification**
Tripwire; Perimeter; Video and Audio Abnormal - **Early Warning**
Protection : IP67



CALL

COLLECTION BULLET

RADIS
موج گستران رادیس
رادیس
فلسفه هوشمندی

AK series

TC-C320N
Spec:I3/E/Y/2.8mm

Max. Resolution: 2MP
Image Sensor: 1/3" CMOS
Min. Illumination: Color: 0.04 Lux
Wide Dynamic Range: DWDR
IR Distance: 30 m
Built-in Mic: Yes
Alarm I/O: N/A
On-board Storage: N/A
Housing: Plastic
Video Analytics: Motion detection



94,000,000 R

AK series

TC-C320N
1CNB-28

Max. Resolution : 2MP
Image Sensor : 1/3" CMOS
Min. Illumination :Color:0.02Lux
Wide Dynamic Range : DWDR
IR Distance : Up to 30m
Built-in Mic : YES
Alarm I/O : N/A
On-board Storage : N/A
Housing : Plastic
Video Analytics : Motion detection



94,000,000 R

AK series

TC-C320N
1ANB-28

Max. Resolution : 2MP
Image Sensor : 1/3"CMOS
Min. Illumination :Color:0.02Lux
Wide Dynamic Range : DWDR
IR Distance : Up to 30m
Dual light + 15m White LED
Built-in Mic : YES
Alarm I/O : N/A
On-board Storage : N/A
Housing : Plastic
Video Analytics : Motion detection



110,000,000 R

Spark series

TC-C34XN
2GNA-28

Max. Resolution: 4MP
Image Sensor: 1/3" CMOS
Min. Illumination: Color: 0.02 Lux
Wide Dynamic Range: DWDR
IR Distance: 30m
Built-in Mic: Yes
Alarm I/O: N/A
On-board Storage: N/A
Housing: Plastic + Metal
Video Analytics : Motion detection



165,000,000 R

Spark series

TC-C34XN
2ENA-28

Max. Resolution: 4MP
Image Sensor: 1/3" CMOS
Min. Illumination: Color: 0.02 Lux
Wide Dynamic Range: DWDR
IR Distance: 30m
Dual light + 15m White LED
Built-in Mic: Yes
Alarm I/O: N/A
On-board Storage: N/A
Housing: Plastic + Metal
Video Analytics: Motion detection
Protection : IP66



225,000,000 R

Lite series

TC-C34HS
Spec:I3/E/Y/C/SD/2.8mm

Max. Resolution : 4MP
Image Sensor : 1/2.7"CMOS
Min. Illumination : Color:0.002Lux
Wide Dynamic Range : DWDR
IR Distance : Up to 30m
Built-in Mic : Yes
Alarm I/O : N/A
On-board Storage : **microSD up to 512 GB**
Housing : Metal+plastic housing
Video Analytics : Tripwire; Perimeter
Protection : IP66



185,000,000 R

COLLECTION

HOME

RADIS
موج گستران رادیس

رادیس
فلسفه هوشمند

Lite series

TC-C34XP

SPEC:W/E/Y/2.8mm

Max. Resolution : 4MP
Image Sensor : 1/2.8"CMOS
Min. Illumination : **Color: 0.0008Lux**
Wide Dynamic Range : **120db WDR**
IR Distance : N/A
Warm Light LED : Yes
Built-in Mic : Yes
Alarm I/O : N/A
Housing : Metal+plastic housing
Video Analytics : Tripwire; Perimeter
Protection : IP67



270,000,000 R

Lite series

TC-C34KS

I3/E/Y/2.8MM

Max. Resolution : 5MP
Image Sensor : 1/2.8" CMOS
Min. Illumination : **Color:0.002Lux**
Wide Dynamic Range : **120db WDR**
IR Distance : Up to 30m
Built-in Mic : YES
Alarm I/O : N/A
On-board Storage : **microSD up to 512GB**
Housing : Metal+plastic housing
Protection : IP67 - **IK10**
Video Analytics : Tripwire; Perimeter



280,000,000 R

Lite series

TC-C35KS

Spec:I3/E/Y/2.8mm

Max. Resolution : **4MP**
Image Sensor : 1/2.8" CMOS
Min. Illumination : **Color: 0.002Lux**
Wide Dynamic Range : **120dB WDR**
IR LEDs : 8
IR Distance : Up to 30m
Built-in Mic : YES
Alarm I/O : N/A
On-board Storage : **MicroSD up to 512 GB**
Hoing : ·Metal+Plastic Housing
Video Analytics : Tripwire, Perimeter



330,000,000 R

Pro series

TC-C35KS

Spec:I3/E/Y/M/S/H/2.8mm/V4.0

Max. Resolution : 5MP
Image Sensor : 1/2.7"CMOS
Min. Illumination : Color: **0.002Lux**
Wide Dynamic Range : **120db WDR**
IR Distance : Up to 30m
Built-in Mic : Yes
Alarm I/O : N/A
On-board Storage : **microSD up to 512 GB**
Housing : **Full Metal housing**
Video Analytics : **Human/Vehicle Classification**
Tripwire; Perimeter; Video and Audio Abnormal
Face Capture : Detect 8 face & Capture 4 faces at the same scene
Protection : IP66 + **IK10**



CALL

Lite series

TC-C38KS

Spec:I3/E/Y/2.8mm/V4.0

Max. Resolution : **8MP**
Image Sensor : 1/2.8" CMOS
Min. Illumination : **Color: 0.003Lux**
Wide Dynamic Range : **120dB WDR**
IR LEDs : 8
IR Distance : Up to 30m
Built-in Mic : YES
Alarm I/O : N/A
On-board Storage : **Built-in MicroSD card slot, up to 512 GB**
Housing : ·Metal+Plastic Housing
Video Analytics : Tripwire, Perimeter



CALL

Pro series

TC-C38MS

SPEC:I5/A/E/Y/M/H/2.7-13.5MM/V4.0

Max. Resolution: 8MP
Image Sensor: 1/2.8" CMOS
Min. Illumination: Color: 0.002 Lux
Wide Dynamic Range: WDR
IR Distance: 50m
Built-in Mic: Yes
Alarm I/O: 2channel in,3mA,3.3VDC;1channel out,1A,24VDC
On-board Storage: Built-in Micro SD card slot, up to 512 GB
Housing: Metal
Video Analytics: Human/Vehicle ,Tripwire , Double Tripwire Perimeter



CALL

COLLECTION

RADIS
موج گستران رادیس
رادیس
فلسفه هوشمندی

SPEEDDOME COLLECTION

TC-H324S
Spec:23X/I/E/C

Max. Resolution : 2MP
Optical Zoom : 23X
Digital Zoom : N/A
Aperture Type : **Auto(P-Iris)**
Image Sensor : 1/2.8" CMOS
Min. Illumination : **Color:0.001Lux**
Wide Dynamic Range : **120db WDR**
IR Distance : Up to 150m
Built-in Mic : YES
Alarm I/O : **YES**
On-board Storage : **microSD up to 512GB**
Housing : Metal+plastic housing
Protection : IP66
Video Analytics : Human/Vehicle Classification; Tripwire; Double Tripwire; Perimeter; Object Abandon; Object Missing; Heatmap; Video Abnormal

1,150,000,000 R



TC-H324S
Spec:25X/I/E/A/V

Max. Resolution : 2MP
Optical Zoom : 25X
Digital Zoom : 16X
Aperture Type : **Auto(P-Iris)**
Image Sensor : 1/2.8" CMOS
Min. Illumination : **Color:0.001Lux**
Wide Dynamic Range : **120db WDR**
IR Distance : Up to 150m
Alarm I/O : **YES**
On-board Storage : **microSD up to 512GB**
Housing : Metal
Protection : IP66
Video Analytics : Human/Vehicle Classification; Tripwire; Double Tripwire; Perimeter; Object Abandon; Object Missing; Heatmap; Loitering; Running; Parking; People Counting; On Duty Detection; Video Abnormal; Audio Abnormal; Crowed Detection - **Auto-Tracking** - **Face Capture**

1,250,000,000 R



TC-H344S
Spec:25X/I/E+/A

Max. Resolution : 4MP
Optical Zoom : 25X
Digital Zoom : 16X
Aperture Type : **Auto(P-Iris)**
Image Sensor : 1/2.7" CMOS
Min. Illumination : **Color:0.001Lux**
Wide Dynamic Range : **120db WDR**
IR Distance : Up to 150m
Alarm I/O : **YES**
On-board Storage : **microSD up to 512GB**
Housing : Metal
Protection : IP66
Video Analytics : Human/Vehicle Classification; Tripwire; Double Tripwire; Perimeter; Object Abandon; Object Missing; Heatmap; Loitering; Running; Parking; People Counting; On Duty Detection; Video Abnormal; Audio Abnormal; Crowed Detection - **Auto-Tracking** - **Face Capture**

1,890,000,000 R



RADIS
موج گستران رادیس
رادیس
فلسفه هوشمندی

SPEEDDOME 360°

TC-H366V

Spec:4MP/25X/IW/E/A/2.8mm

Max. Resolution : 4MP PTZ + **6MP Panorama**
Optical Zoom : 25X
Digital Zoom : 16X
Aperture Type : **PTZ Auto(P-Iris)** + Fixed **F1.0 Panorama**
Image Sensor : 1/2.7" CMOS PTZ + **1/1.8" CMOS Panorama**
Min. Illumination : **PTZ 0.001Lux + 0.0001Lux Panorama**
Wide Dynamic Range : **PTZ 120db WDR + DWDR Panorama**
IR Distance : Up to 150m
Dual light + 30m White LED PTZ + 30m Panorama
Alarm I/O : **YES**
On-board Storage : **microSD up to 512GB**
Housing : Metal
Protection : IP66
Video Analytics : Human/Vehicle Classification; Tripwire; Double Tripwire; Perimeter; Object Abandon; Object Missing; Heatmap; Loitering; Running; Parking; People Counting; On Duty Detection; Video Abnormal; Audio Abnormal; Crowed Detection
Auto-Tracking - **Face Capture - Auto Early Warning(AEW)**

CALL



TC-H348M

Spec:63X/IL/E++/A



Max. Resolution : 4MP
Optical Zoom : **63X**
Digital Zoom : 16X
Aperture Type : **Auto(P-Iris)**
Image Sensor : **1/1.8"** CMOS
Min. Illumination : **Color:0.001Lux**
Wide Dynamic Range : **120db WDR**
IR Distance : Up to **300m**
Alarm I/O : **YES**
On-board Storage : **microSD up to 512GB**
Housing : Metal
Protection : IP66
Video Analytics : Human/Vehicle Classification; Tripwire; Double Tripwire; Perimeter; Object Abandon; Object Missing; Heatmap; Loitering; Running; Parking; People Counting; On Duty Detection; Video Abnormal; Audio Abnormal; Crowed Detection
Auto-Tracking - Face Capture - Auto Early Warning(AEW)

CALL

RADIS
موج گستران رادیس
رادیس
فلسفه هوشمندی

SOLAR | 4G



TC-H333K 9DA-4

Max. Resolution: **3MP**
Image Sensor: 1/3" CMOS
Min. Illumination: Color: 0.02 Lux
Wide Dynamic Range: DWDR
IR Distance: **30m**
Dual light + 15m White LED
Built-in **Mic**: Yes
Built-in **Speaker** : Yes
Auto-Tracking : Yes
Wireless : **4G LTE**
On-board Storage: **256GB**
SOLAR PANEL : YES
Battery : **5200 mAh**
Video Analytics: **Human** and **Vehicle** detection
Protection : IP65

480,000,000 R



TC-H343K 9DA-4

Max. Resolution: **4MP**
Image Sensor: 1/3" CMOS
Min. Illumination: Color: 0.02 Lux
Wide Dynamic Range: DWDR
IR Distance: **30m**
Dual light + 15m White LED
Built-in **Mic**: Yes
Built-in **Speaker** : Yes
Auto-Tracking : Yes
Wireless : **4G LTE**
On-board Storage: **256GB**
SOLAR PANEL : YES
Battery : **5200 mAh**
Video Analytics: **Human** and **Vehicle** detection
Protection : IP65

530,000,000 R



TC-H363N 9DA-4

Max. Resolution: **3MP + 3MP Panorama**
Image Sensor: 1/2.9" CMOS
Min. Illumination: Color: 0.02 Lux
Wide Dynamic Range: DWDR
IR Distance: **30m**
Dual light + 20m White LED
Built-in **Mic**: Yes
Built-in **Speaker** : Yes
Auto-Tracking : Yes
Wireless : **4G LTE**
On-board Storage: **256GB**
SOLAR PANEL : YES
Battery : **5200 mAh**
Video Analytics: **Human** and **Vehicle** detection
Protection : IP65

630,000,000 R

RADIS
موج گستران رادیس
رادیس
فلسفه هوشمندی

NVR COLLECTION

NVR COLLECTION

TC-R3104
Spec:I/B/P4/C/Eu/L/S

Access Channel : 4 Ch
Incoming Bandwidth : 60 mbps
Outgoing Bandwidth : 40 mbps
Resolution : up to 6MP
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 4 ch
SATA : 1 SATA interface
HDD Capacity : Up to **8 TB** capacity for each HDD
RAID : N/A
HDMI output : 1080p
Ethernet port : 1 x RJ-45, 10/100 Mbps
POE Port : **4 port** 10/100 Mbps
PoE Budget : 32W
AI by Camera : Smart Alarm
Human/Vehicle Classification



250,000,000 R

TC-R3105
Spec:I/B/L/S

Access Channel : 5 Ch
Incoming Bandwidth : 60 mbps
Outgoing Bandwidth : 40 mbps
Resolution : up to 5MP
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 4 ch
SATA : 1 SATA interface
HDD Capacity : Up to **6 TB** capacity for each HDD
RAID : N/A
HDMI output : 1080p
Ethernet port : 1 x RJ-45, 10/100 Mbps
POE Port : N/A
PoE Budget : N/A
AI by Camera : Smart Alarm



185,000,000 R

TC-R3105
Spec:I/B/L/Eu

Access Channel : 5 Ch
Incoming Bandwidth : 60 mbps
Outgoing Bandwidth : 40 mbps
Resolution : up to 8MP
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 4 ch
SATA : 1 SATA interface
HDD Capacity : Up to **8 TB** capacity for each HDD
RAID : N/A
HDMI output : 1080p
Ethernet port : 1 x RJ-45, 10/100 Mbps
AI by Camera : Tripwire; Double Tripwire; Perimeter; Object Abandon; Object Missing; Running; Parking; Loitering; Video Abnormal; Audio Abnormal; On Duty Detection; Crowd Detection; Smart Alarm; Human/Vehicle Classification



260,000,000 R

TC-R3108
Spec:I/B/P8/C/Eu/L/S

Access Channel : 8 Ch
Incoming Bandwidth : 60 mbps
Outgoing Bandwidth : 40 mbps
Resolution : up to 6MP
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 4 ch
SATA : 1 SATA interface
HDD Capacity : Up to **8 TB** capacity for each HDD
RAID : N/A
HDMI output : 1080p
Ethernet port : 1 x RJ-45, 10/100 Mbps
POE Port : **8 port** 10/100 Mbps
PoE Budget : 48W
AI by Camera : Smart Alarm
Human/Vehicle Classification



320,000,000 R

TC-R3110
Spec:I/B/L/Eu

Access Channel : 10 Ch
Incoming Bandwidth : 60 mbps
Outgoing Bandwidth : 40 mbps
Resolution : up to 8MP
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 4 ch
SATA : 1 SATA interface
HDD Capacity : Up to **8 TB** capacity for each HDD
RAID : N/A
HDMI output : **4K**
Ethernet port : 1 x RJ-45, 10/100 Mbps
AI by Camera : Tripwire; Double Tripwire; Perimeter; Object Abandon; Object Missing; Running; Parking; Loitering; Video Abnormal; Audio Abnormal; On Duty Detection; Crowd Detection; Smart Alarm; Human/Vehicle Classification



290,000,000 R

RADIS
موج گستران رادیس
رادیس
فلسفه هوشمندی

NVR COLLECTION

NVR COLLECTION

TC-R3120 +
Spec:I/B/V3.0

Access Channel : 20 Ch
Incoming Bandwidth : 80 mbps
Outgoing Bandwidth : 80 mbps
Resolution : up to 8MP
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 16 ch
SATA : 1 SATA interface
HDD Capacity : Up to **10 TB** capacity for each HDD
HDMI output : **4K**
Ethernet port : 1 x RJ-45, 10/100 Mbps
AI by Camera : Tripwire; Double Tripwire; Perimeter; Object Abandon; Object Missing; Running; Parking; Loitering; Video Abnormal; Audio Abnormal; On Duty Detection; Crowd Detection; Smart Alarm; Human/Vehicle Classification
VCA Search : Early-warning Search; Behavior Search; **Face Search**



380,000,000 R

TC-R3220 4HA +

Access Channel : 20 Ch
Incoming Bandwidth : 160 mbps
Outgoing Bandwidth : 80 mbps
Resolution : up to **16MP**
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 16 ch
SATA : 2 SATA interface
HDD Capacity : Up to **10 TB** capacity for each HDD
HDMI output : **4K**
Ethernet port : 1 x RJ-45, **Gigabit**
AI by Camera : Tripwire; Double Tripwire; Perimeter; Object Abandon; Object Missing; Running; Parking; Heatmap; Loitering; Video Abnormal; Audio Abnormal; On Duty Detection; Crowd Detection; Safety Helmet Detection; Electric Bicycle Detection; People Counting; Link to Tracking; Smoke and Fire Detection; Environmental Temperature Measurement; Face Detection; Human Body Temperature Measurement; Smart Alarm; Face Recognition; Human/Vehicle Classification
VCA Search : Heatmap; People Counting; Face Statistics
AI by NVR ; Face Detection; Face Recognition; Tripwire; Double Tripwire; Perimeter; Smart Motion Detection



840,000,000 R

TC-R3232 +
Spec:I/B/K

Access Channel : 32 Ch
Incoming Bandwidth : 160 mbps
Outgoing Bandwidth : 48 mbps
Resolution : up to 8MP
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 16 ch
SATA : 2 SATA interface
HDD Capacity : Up to **10 TB** capacity for each HDD
HDMI output : **4K**
Ethernet port : 1 x RJ-45, **Gigabit**
AI by Camera : Tripwire; Double Tripwire; Perimeter; Object Abandon; Object Missing; Running; Parking; Heatmap; Loitering; Video Abnormal; Audio Abnormal; On Duty Detection; Crowd Detection; Electric Bicycle Detection; People Counting; Link to Tracking; Smoke and Fire Detection; Environmental Temperature Measurement; Face Detection; Human Body Temperature Measurement; Smart Alarm; Human/Vehicle Classification
VCA Search : Early-warning Search; Behavior Search; Thermographic Retrieval; Duty Search; Electric Bicycle Retrieval; Face Search Search by face attributes)



890,000,000 R

TC-R3232 4HA +

Access Channel : 32 Ch
Incoming Bandwidth : 160 mbps
Outgoing Bandwidth : 80 mbps
Resolution : up to **16MP**
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 16 ch
SATA : 2 SATA interface
HDD Capacity : Up to **10 TB** capacity for each HDD
HDMI output : **4K**
Ethernet port : 1 x RJ-45, **Gigabit**
AI by Camera : Tripwire; Double Tripwire; Perimeter; Object Abandon; Object Missing; Running; Parking; Heatmap; Loitering; Video Abnormal; Audio Abnormal; On Duty Detection; Crowd Detection; Safety Helmet Detection; Electric Bicycle Detection; People Counting; Link to Tracking; Smoke and Fire Detection; Environmental Temperature Measurement; Face Detection; Human Body Temperature Measurement; Smart Alarm; Face Recognition; Human/Vehicle Classification
VCA Search : Early-warning Search; Behavior Search; Safety Helmet Search; Thermographic Retrieval; Duty Search; Electric Bicycle Retrieval; Face Search(Search by face attributes); Smart Motion Detection
AI by NVR ; Face Detection; Face Recognition; Tripwire; Double Tripwire; Perimeter; Smart Motion Detection



970,000,000 R

RADIS
موج گستران رادیس
رادیس
فلسفه هوشمندی

NVR COLLECTION

NVR COLLECTION

TC-R3432
Spec:I/B/K

Access Channel : 32 Ch
Incoming Bandwidth : 160 mbps
Outgoing Bandwidth : 48 mbps
Resolution : up to 8MP
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 16 ch
SATA : 4 SATA interface
HDD Capacity : Up to **10 TB** capacity for each HDD
HDMI output : **4K**
Ethernet port : **2** x RJ-45, **Gigabit**
AI by Camera : Tripwire;Double Tripwire;Perimeter;Object Abandon;Object Missing;Loiter;Running; Parking;Heatmap;Lens Dignose;Scene Switch Dignose;Signal Abnormal Detection; Signal Loss Detection;On Duty Detection;Crowd Detection;Safety Helmet Detection; People Counting;
Link To Tracking;Face Detection;Human body temperature measurement
VCA Search : Heatmap;Early-warning search;Behavior Search;Thermographic retrieval;Duty search;Facial search



1,120,000,000 R

TC-R3240
Spec:I/B/N/H

Access Channel : 40 Ch
Incoming Bandwidth : **400** mbps
Outgoing Bandwidth : **400** mbps
Resolution : up to **16**MP
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 16 ch
SATA : 2 SATA interface
HDD Capacity : Up to **10 TB** capacity for each HDD
HDMI output : **4K**
Ethernet port : **2** x RJ-45, **Gigabit**
AI by Camera : Tripwire; Double Tripwire; Perimeter; Object Abandon; Object Missing; Running; Parking; Heatmap; Loitering; Video Abnormal; Audio Abnormal; On Duty Detection; Crowd Detection; Safety Helmet Detection; Electric Bicycle Detection; People Counting; Link to Tracking; Smoke and Fire Detection; Environmental Temperature Measurement; Face Detection; Human Body Temperature Measurement; Smart Alarm; Face Recognition; Human/Vehicle Classification; LPR
Face Recognition : Yes Up to 300 face libraries + Up to 100000 base images
VCA Search : Early-warning Search; Behavior Search; Safety Helmet Search; Thermographic Retrieval; Duty Search; Electric Bicycle Retrieval; Face Search(Search by face attributes/event); Human Search(Search by human attributes)



1,400,000,000 R

TC-R3440
Spec:I/B/N/H/C

Access Channel : 40 Ch
Incoming Bandwidth : **400** mbps
Outgoing Bandwidth : **400** mbps
Resolution : up to **16**MP
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 16 ch
SATA : 4 SATA interface
HDD Capacity : Up to **10 TB** capacity for each HDD
Raid : RAID0, RAID1, RAID5, RAID6, RAID10
HDMI output : **4K**
Ethernet port : **2** x RJ-45, **Gigabit**
AI by Camera : Tripwire; Double Tripwire; Perimeter; Object Abandon; Object Missing; Running; Parking; Heatmap; Loitering; Video Abnormal; Audio Abnormal; On Duty Detection; Crowd Detection; Safety Helmet Detection; Electric Bicycle Detection; People Counting; Link to Tracking; Smoke and Fire Detection; Environmental Temperature Measurement; Face Detection; Human Body Temperature Measurement; Smart Alarm; Face Recognition; Human/Vehicle Classification; LPR
Face Recognition : Yes Up to 300 face libraries + Up to 100000 base images
VCA Search : Early-warning Search; Behavior Search; Safety Helmet Search; Thermographic Retrieval; Duty Search; Electric Bicycle Retrieval; Face Search(Search by face attributes/event); Human Search (Search by human attributes)



1,450,000,000 R

TC-R3440
Spec:I/B/N

Access Channel : 40 Ch
Incoming Bandwidth : **400** mbps
Outgoing Bandwidth : **400** mbps
Resolution : up to **16**MP
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 16 ch
SATA : 4 SATA interface
HDD Capacity : Up to **10 TB** capacity for each HDD
Raid : RAID0, RAID1, RAID5, RAID6, RAID10
HDMI output : **4K**
Ethernet port : **2** x RJ-45, **Gigabit**
Alarm I/O : 16-ch, TTL inputs, 3mA, 3.3VDC; 4-ch, relay outputs, 1A, 24VDC
AI by Camera : Tripwire; Double Tripwire; Perimeter; Object Abandon; Object Missing; Running; Parking; Heatmap; Loitering; Video Abnormal; Audio Abnormal; On Duty Detection; Crowd Detection; Safety Helmet Detection; Electric Bicycle Detection; People Counting; Link to Tracking; Smoke and Fire Detection; Environmental Temperature Measurement; Face Detection; Human Body Temperature Measurement; Smart Alarm; Face Recognition; Human/Vehicle Classification; LPR
Face Recognition : Yes Up to 300 face libraries + Up to 100000 base images
VCA Search : Early-warning Search; Behavior Search; Safety Helmet Search; Thermographic Retrieval; Duty Search; Electric Bicycle Retrieval; Face Search(Search by face attributes/event); Human Search (Search by human attributes)



1,788,000,000 R

RADIS
موج گستران رادیس
رادیس
فلسفه هوشمندی

TC-R3840
Spec:I/B/N

Access Channel : 40 Ch
Incoming Bandwidth : **640** mbps
Outgoing Bandwidth : **320** mbps
Resolution : up to **16**MP
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 16 ch
SATA : **8** SATA interface
HDD Capacity : Up to **24 TB** capacity for each HDD
Raid : RAID0, RAID1, RAID5, RAID6, RAID10
HDMI output : **2 x 4K**
Ethernet port : **2** x RJ-45, **Gigabit**
RS-485 : 2
Alarm I/O : 16-ch, TTL inputs, 3mA, 3.3VDC; 4-ch, relay outputs, 1A, 24VDC
AI by Camera : Tripwire; Double Tripwire; Perimeter; Object Abandon; Object Missing; Running; Parking; Heatmap; Loitering; Video Abnormal; Audio Abnormal; On Duty Detection; Crowd Detection; Safety Helmet Detection; Electric Bicycle Detection; People Counting; Link to Tracking; Smoke and Fire Detection; Environmental Temperature Measurement; Face Detection; Human Body Temperature Measurement; Smart Alarm; Face Recognition; Human/Vehicle Classification; LPR
Face Recognition : Yes Up to 300 face libraries + Up to 100000 base images
VCA Search : Early-warning Search; Behavior Search; Safety Helmet Search; Thermographic Retrieval; Duty Search; Electric Bicycle Retrieval; Face Search(Search by face attributes/event); Human Search (Search by human attributes)
Face Attributes Search : Gender; Age; Glasses; Face Mask; Body Temp
Human Attributes Search : Gender; Age; Backpack; Face Mask; Glasses; Hair; Carrying Status; Top Color; Bottom Color; Top Type; Bottom Type; Riding Status
V**ehicle Attributes Search :** Vehicle Color; Vehicle Type; Plate Color; Plate number; Non-Motor Vehicle Passenger Status; Direction



CALL

TC-R3880
Spec:I/B/N

Access Channel : 80 Ch
Incoming Bandwidth : **640** mbps
Outgoing Bandwidth : **320** mbps
Resolution : up to **16**MP
Video Compression : S+265; H.265; S+264; H.264
Multi-channel Playback : 16 ch
SATA : **8** SATA interface
HDD Capacity : Up to **24 TB** capacity for each HDD
Raid : RAID0, RAID1, RAID5, RAID6, RAID10
HDMI output : **2 x 4K**
Ethernet port : **2** x RJ-45, **Gigabit**
RS-485 : 2
Alarm I/O : 16-ch, TTL inputs, 3mA, 3.3VDC; 4-ch, relay outputs, 1A, 24VDC
AI by Camera : Tripwire; Double Tripwire; Perimeter; Object Abandon; Object Missing; Running; Parking; Heatmap; Loitering; Video Abnormal; Audio Abnormal; On Duty Detection; Crowd Detection; Safety Helmet Detection; Electric Bicycle Detection; People Counting; Link to Tracking; Smoke and Fire Detection; Environmental Temperature Measurement; Face Detection; Human Body Temperature Measurement; Smart Alarm; Face Recognition; Human/Vehicle Classification; LPR
Face Recognition : Yes Up to 300 face libraries + Up to 100000 base images
VCA Search : Early-warning Search; Behavior Search; Safety Helmet Search; Thermographic Retrieval; Duty Search; Electric Bicycle Retrieval; Face Search(Search by face attributes/event); Human Search (Search by human attributes)
Face Attributes Search : Gender; Age; Glasses; Face Mask; Body Temp
Human Attributes Search : Gender; Age; Backpack; Face Mask; Glasses; Hair; Carrying Status; Top Color; Bottom Color; Top Type; Bottom Type; Riding Status
V**ehicle Attributes Search :** Vehicle Color; Vehicle Type; Plate Color; Plate number; Non-Motor Vehicle Passenger Status; Direction



CALL

RADIS
موج گستران رادیس

رادیس
فلسفه هوشمندی